



IWORK SAFETY SHOES CATALOGUE

PRESENTED BY

STONY INDUSTRIES LIMITED

www.iworksafety.com

DIAMOND-HI GRY, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Grey, Black, or as per request
- Size: 36-47

UPPER CONSTRUCTION

- High quality Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets
- Reflective strip for high visibility

SOLE CONSTRUCTION

- PU/TPU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



DIAMOND-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Tan, Black, or as per request
- Size: 36-47

UPPER CONSTRUCTION

- High quality Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets
- Reflective strip for high visibility

SOLE CONSTRUCTION

- PU/Rubber sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant
- Outsole is heat resistant to 300°C



DIAMOND-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic low-cut safety shoe
- Tan, Black, or as per request
- Size: 36-47

UPPER CONSTRUCTION

- High quality Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets
- Reflective strip for high visibility

SOLE CONSTRUCTION

- PU/Rubber sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant
- Outsole is heat resistant to 300°C



MORION-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Black
- Size: 38-47

UPPER CONSTRUCTION

- Water resistant smooth cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Reflective strip for high visibility
- TPU ankle support

SOLE CONSTRUCTION

- PU/Rubber sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant
- Outsole is heat resistant to 300°C



TIGERITE-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Brown, Black, or as per request
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable smooth cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets
- Reflective strip for high visibility

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



EVEREST-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Kevlar anti-perforation midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



EVEREST-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic low-cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets
- TPU ankle support

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SAPPHIRE-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SAPPHIRE-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic low cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact
- Non-metallic eyelets

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



AMBER-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



AMBER-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic low cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



PEARL-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Non-metallic low cut safety shoe
- Brown or Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact

SOLE CONSTRUCTION

- PU+TPU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



DIRECTOR, S3 SRC

iWORK™



DESCRIPTIONS

- Lace-up executive metal-free safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable full grain cow leather upper
- Synthetic leather lining with effective sweat ventilation
- Non-metallic Composite toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Rubber sole for better durability
- Anti-perforation Kevlar midsole offering light weight and flexibility
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



STONEMAN-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Classic mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable embossed cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



STONEMAN-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Classic low-cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable embossed cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



TOPAZ-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Classic mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable embossed cow leather upper
- Reflective strip for high visibility
- Fast-release buckle
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



TOPAZ-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Classic low cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable embossed cow leather upper
- Reflective strip for high visibility
- Fast-release buckle
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SHIELD-HI, S1P SRC

iWORK™



DESCRIPTIONS

- Classic lace-up safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable embossed cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SHIELD-LO, S1P SRC

iWORK™



DESCRIPTIONS

- Classic lace-up safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable embossed cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



ECO-HI, SBP SRC

iWORK™



DESCRIPTIONS

- Classic lace-up safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Synthetic leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Rubber sole with side stitching for reinforcement
- Anti-perforation steel midsole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant
- Outsole is heat resistant to 300°C





DESCRIPTIONS

- Classic lace-up safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Synthetic leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Rubber sole with side stitching for reinforcement
- Anti-perforation steel midsole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant
- Outsole is heat resistant to 300°C



SPINEL-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Classic lace-up safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Antibacterial Cambrelle lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SPINEL-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Classic lace-up safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Antibacterial Cambrelle lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



ANDES-HI, S1P SRC

iWORK™



DESCRIPTIONS

- Classic ankle safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow split leather upper
- Pigskin lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



IVORY-CL, S3 SRC

iWORK™



DESCRIPTIONS

- Slip-on safety shoe
- Black or white
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable micro-fiber leather upper
- Antibacterial Cambrelle lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



IVORY-OP, S1P SRC

iWORK™



DESCRIPTIONS

- Low cut safety shoe with velcro strap
- White
- Size: 36-47

UPPER CONSTRUCTION

- Breathable micro-fiber leather upper
- Antibacterial Cambrelle lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



OPAL, S3 SRC

iWORK™



DESCRIPTIONS

- Pull-on safety rigger boot
- Brown or Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable smooth cow leather upper
- Breathable mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



ASAH, S1P SRC

iWORK™



DESCRIPTIONS

- Elastic-sided pull-on ankle boot
- Dark Brown or Black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable embossed cow leather upper
- Breathable mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



ALPES-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Sporty mid-cut safety boot
- Black
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Perforated TPU piece for better protection to ankle

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SATURN, S3 SRC

iWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Fully padded collar provides efficient protection to ankle
- Reflective strip for high visibility

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



CRYSTAL-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Sporty mid-cut safety boot
- Black+Green
- Size: 36-47

UPPER CONSTRUCTION

- High quality breathable Nubuck leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Reflective strip at back counter for high visibility

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Ergonomic soft pre-moulded EVA footbed reducing lower leg and foot fatigue
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



TANZANITE, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty ankle safety boot
- Blue + Yellow or Grey + Orange
- Size: 36-47

UPPER CONSTRUCTION

- Micro-fiber suede + Oxford fabric upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SPIDER-HI, S3 SRC

iWORK™



DESCRIPTIONS

- Sporty ankle safety boot
- Brown or black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable crazy-horse cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



SPIDER-LO, S3 SRC

iWORK™



DESCRIPTIONS

- Sporty low cut safety shoe
- Brown or black
- Size: 36-47

UPPER CONSTRUCTION

- Water resistant, breathable crazy-horse cow leather upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



CITRINE-HI, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty ankle safety boot
- Brown or black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



CITRINE-LO, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty low cut safety shoe
- Black or brown
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



ONYX, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Black+Grey+Blue or Black+Blue+Yellow
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede + Oxford nylon cloth upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



RUBY, S1P SRC

IWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Black+Grey+Red or as per request
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede + Oxford nylon cloth upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



JADEITE, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Black+Green or Black+Black
- Size: 36-47

UPPER CONSTRUCTION

- Breathable KPU + Mesh upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



AMETHYST, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Blue+Orange or Black+Green
- Size: 36-47

UPPER CONSTRUCTION

- Breathable flyknit fabric upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant





DESCRIPTIONS

- Sporty low-cut safety shoe
- Black+Yellow or as per request
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede and nylon mesh upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact
- Reflective strip for high visibility

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant



PERIDOT, S1P SRC

iWORK™



DESCRIPTIONS

- Sporty low-cut safety shoe
- Black+Orange or as per request
- Size: 36-47

UPPER CONSTRUCTION

- Breathable cow suede upper
- Sandwich mesh lining with effective sweat ventilation
- Steel toe cap resistant to 200J impact

SOLE CONSTRUCTION

- Dual density PU sole (shock absorbing low density inner sole for comfort and hardwearing outer sole for tough working conditions)
- Anti-perforation steel midsole
- Antistatic insole board and sole
- Heel energy absorption
- Slip resistant (SRC)
- Oil and acids resistant

